Contents to volume 231

Review

Structure and function of epidermal growth factor-like regions in proteins (FEB 05662) *E. Appella, I.T. Weber, F. Blasi* 1

Hypothesis

A partial structure for the γ-aminobutyric acid ($GABA_A$) receptor is derived from the model for the nicotinic acetylcholine receptor: The anion-exchange protein of cell membranes is related to the $GABA_A$ receptor (FEB 05688) *E.M. Kosower* 5

Research Letters

Quantitation and identification of carbon-13 isotopomers by homonuclear polarization transfer NMR experiments (FEB 05736) *D. Boudot, D. Canet, J. Brondeau, F. Martin* 11

Observation of mobile poly(β-hydroxybutyrate) in the storage granules of *Methylobacterium* AM1 by in vivo ^{13}C-NMR spectroscopy (FEB 05700) *G.N. Barnard, J.K.M. Sanders* 16

Evidence that stimulation of gluconeogenesis by fatty acid is mediated through thermodynamic mechanisms (FEB 05732) *M.N. Berry, R.B. Gregory, A.R. Grivell, D.C. Henly, J.W. Phillips, P.G. Wallace, G.R. Welch* 19

Immunoprecipitation of human adrenal microsomal antigen (FEB 05735) *J. Furmaniak, D. Talbot, D. Reinwein, G. Benker, F.M. Creagh, B.R. Smith* 25

Fluorescence digital image analysis of the inositol trisphosphate-mediated calcium transient in single permeabilized parietal cells (FEB 05729) *Y. Tsunoda, S. Yodozawa, Y. Tashiro* 29

A dicarboxylate transporter on the peribacteroid membrane of soybean nodules (FEB 05734) *M.K. Udvardi, G.D. Price, P.M. Gresshoff, D.A. Day* 36

Temporal changes in intracellular distribution of protein kinase C during differentiation of human leukemia HL60 cells induced by phorbol ester (FEB 05730) *Z. Kiss, E. Deli, J.F. Kuo* 41

Localization of the pro-sequence within the total deduced primary structure of human β-hexosaminidase B (FEB 05731) *J. Stirling, A. Leung, R.A. Gravel, D. Mahuran* 47

The amino-terminal domain of thrombomodulin and pancreatic stone protein are homologous with lectins (FEB 05747) *T.E. Petersen* 51

Exploration of the catalytic site of endopeptidase 24.11 by site-directed mutagenesis: Histidine residues 583 and 587 are essential for catalysis (FEB 05746) *A. Devault, V. Sales, C. Nault, A. Beaumont, B. Roques, P. Crine, G. Boileau* 54

The substrate determines the rate and pattern of neutral lipid synthesized by isolated human sebaceous glands (FEB 05750) *B. Middleton, I. Birdi, M. Heffron, J.R. Marsden* 59

Evidence that insulin increases the proportion of polysomes that are bound to the cytoskeleton in 3T3 fibroblasts (FEB 05740) *J.E. Hesketh, I.F. Pryme* 62

Processing of chromogranin A within chromaffin granules starts at C- and N-terminal cleavage sites (FEB 05738) *T. Wohlfarter, R. Fischer-Colbrie, R. Hogue-Angeletti, L.E. Eiden, H. Winkler* 67

Number of tRNA binding sites on 80 S ribosomes and their subunits (FEB 05744) *M.V. Rodnina, A.V. El'skaya, Yu.P. Semenkov, S.V. Kirillov* 71

Inhibition of adenine nucleotide transport through the mitochondrial porin by a synthetic polyanion (FEB 05741) *R. Benz, L. Wojtczak, W. Bosch, D. Brdiczka* 75

Two-dimensional ^{1}H-NMR study of bacterioopsin-(34–65)-polypeptide conformation (FEB 05737) *A.S. Arseniev, I.V. Maslennikov, V.F. Bystrov, A.T. Kozhich, V.T. Ivanov, Yu.A. Ovchinnikov* 81

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/88/$3.50 © 1988 Federation of European Biochemical Societies

Single crystal absorption spectra of ascorbate oxidase from green zucchini squash (FEB 05748) *A. Merli, G.L. Rossi, M. Bolognesi, G. Gatti, L. Morpurgo, A. Finazzi-Agro* 89
Influence of thylakoid protein phosphorylation on photosystem I photochemistry (FEB 05742) *G. Forti, A. Vianelli* 95
Processing by inverted plasma membrane vesicles of in vitro synthesized major lipoprotein from *Escherichia coli* (FEB 05772) *S.S. Krishnabhakdi, M. Müller* 99
Pyruvate carboxylase from *Pseudomonas citronellolis*: shape of the enzyme, and localization of its prosthetic biotin group by electron microscopic affinity labeling (FEB 05755) *J. Fuchs, W. Johannssen, M. Rohde, F. Mayer* 102
Studies on the biosynthesis of surfactin, a lipopeptide antibiotic from *Bacillus subtilis* ATCC 21332 (FEB 05753) *B. Kluge, J. Vater, J. Salnikow, K. Eckart* 107
Close association of the 33 kDa extrinsic protein with the apoprotein of CPa1 in photosystem II (FEB 05751) *T.M. Bricker, W.R. Odom, C.B. Queirolo* 111
Autoantibodies to the core proteins of hnRNPs (FEB 05759) *A. Dangli, A. Guialis, E. Vretou, C.E. Sekeris* 118
Gene expression of fibroblast matrix proteins is altered by indomethacin (FEB 05743) *A. Mauviel, V. -M. Kähäri, J. Heino, M. Daireaux, D.J. Hartmann, G. Loyau, J. -P. Pujol* 125
A new human alphoid-like repetitive DNA sequence (FEB 05767) *J.L. Doering, A.E. Burket, S.L. Carnahan* 130
Site directed mutants of human interleukin-1α: a ^{1}H-NMR and receptor binding study (FEB 05761) *A.M. Gronenborn, P.T. Wingfield, H.R. McDonald, U. Schmeissner, G.M. Clore* 135
Linear gramicidin activates neutrophil functions and the activation is blocked by chemotactic peptide receptor antagonist (FEB 05752) *J. Jacob* 139
Evidence that muscarinic potentiation of insulin release is initiated by an early transient calcium entry (FEB 05756) *J.V. Sánchez-Andrés, C. Ripoll, B. Soria* 143
Pertussis toxin reverses the inhibition of insulin secretion caused by [Arg^8]vasopressin in rat pancreatic islets (FEB 05758) *L.J. Khalaf, K.W. Taylor* 148
Limited proteolysis of 3-phosphoglycerate kinase without loss of enzymic activity (FEB 05754) *S.-X. Jiang, M. Vas* 151
Relaxed thiol substrate specificity of glutathione transferase effected by a non-substrate glutathione derivative (FEB 05749) *G.B. Principato, U.H. Danielson, B. Mannervik* 155
A 500 MHz study of peptide T in a DMSO solution (FEB 05762) *D. Picone, P.A. Temussi, M. Marastoni, R. Tomatis, A. Motta* 159
The IFI-56K and IFI-54K interferon-inducible human genes belong to the same gene family (FEB 05696) *M.G. Wathelet, I.M. Clauss, J. Content, G.A. Huez* 164
Detection of intercalation-induced changes in DNA structure by reaction with diethyl pyrocarbonate or potassium permanganate: Evidence against the induction of Hoogsteen base pairing by echinomycin (FEB 05764) *C. Jeppesen, P.E. Nielsen* 172
Possible adsorption sites of cellulases on crystalline cellulose (FEB 05691) *B. Henrissat, B. Vigny, A. Buleon, S. Perez* 177
Sex-related difference in oxidative metabolism of testosterone and erythromycin by hamster liver microsomes (FEB 05773) *T. Miura, M. Komori, M. Iwasaki, K. Kurozumi, K. Ohta, S. Ohmori, M. Kitada, T. Kamataki* 183
Human ubiquitin genes: one member of the UbB gene subfamily is a tetrameric non-processed pseudogene (FEB 05766) *J.B. Cowland, O. Wiborg, J. Vuust* 187
Functional residues at the active site of horse liver phosphopantothenoylcysteine decarboxylase (FEB 05768) *R. Scandurra, V. Consalvi, L. Politi, C. Gallina* 192
NADPH-dependent metabolism of the ribulose bisphosphate carboxylase/oxygenase inhibitor 2-carboxyarabinitol 1-phosphate by a chloroplast protein (FEB 05760) *M.E. Salvucci, G.P. Holbrook, J.C. Anderson, G. Bowes* 197
Epidermal plasminogen activator inhibitor (PAI) is immunologically identical to placental-type PAI-2 (FEB 05765) *T. Hibino, S. Izaki, M. Ohkuma, S. Kon, S. Thorsen, B. Åstedt* 202
Megalomycin C, a macrolide antibiotic that blocks protein glycosylation and shows antiviral activity (FEB 05774) *B. Alarcón, M.E. González, L. Carrasco* 207

α-Toxin binding to acetylcholine receptor α179–191 peptides: intrinsic fluorescence studies (FEB 05778) *W. Radding, P.W.R. Corfield, L.S. Levinson, G.A. Hashim, B.W. Low* 212
Single amino acid substitution between SHV-1 β-lactamase and cefotaxime-hydrolyzing SHV-2 enzyme (FEB 05757) *M. Barthélémy, J. Péduzzi, H.B. Yaghlane, R. Labia* 217
Activation of a brain-specific protein kinase C subspecies in the presence of phosphatidylethanol (FEB 05771) *Y. Asaoka, U. Kikkawa, K. Sekiguchi, M.S. Shearman, Y. Kosaka, Y. Nakano, T. Satoh, Y. Nishizuka* 221
Biosyntheses and processing of lysosomal cysteine proteinases in rat macrophages (FEB 05769) *E. Kominami, T. Tsukahara, K. Hara, N. Katunuma* 225
Effect of proteinase inhibitors on intracellular processing of cathepsin B, H and L in rat macrophages (FEB 05770) *K. Hara, E. Kominami, N. Katunuma* 229
Does sphingomyelin inhibit the erythrocyte anion transport system? (FEB 05780) *U. Scheuring, W. Haase, D. Schubert* 232
Photosynthetic reaction centre of *Chloroflexus aurantiacus*: I. Primary structure of L-subunit (FEB 05775) *Yu.A. Ovchinnikov, N.G. Abdulaev, A.S. Zolotarev, B.E. Shmukler, A.A. Zargarov, M.Ă. Kutuzov, I.N. Telezhinskaya, N.B. Levina* 237
Formation of the 680 nm-absorbing form of the cytochrome *bd* oxidase complex of *Escherichia coli* by reaction of hydrogen peroxide with the ferric form (FEB 05776) *R.K. Poole, H.D. Williams* 243
Protonic sidedness of the binuclear iron-copper centre in cytochrome oxidase (FEB 05781) *M. Wikström* 247
Iron storage in *Saccharomyces cerevisiae* (FEB 05777) *F. Raguzzi, E. Lesuisse, R.R. Crichton* 253
Anthraquinone inhibitors of photosystem II electron transport (FEB 05745) *W. Oettmeier, K. Masson, A. Donner* 259
$Na^+ + Cl^-$-gradient-driven, high-affinity, uphill transport of taurine in human placental brush-border membrane vesicles (FEB 05702) *Y. Miyamoto, D.F. Balkovetz, F.H. Leibach, V.B. Mahesh, V. Ganapathy* 263

Correspondence

Redox loops and proton pumps (FEB 05683) *B.G. Malmström* 268
Strategy of research on the chemiosmotic mechanism of cytochrome oxidase (FEB 05682) *P. Mitchell* 270

Notes of Authors 272

Review Letter

Yeast iso-l-cytochrome *c*: genetic analysis of structural requirements (FEB 05712) *D.M. Hampsey, G. Das, F. Sherman* 275

Hypotheses

Is the 9 kDa thylakoid membrane phosphoprotein functionally and structurally analogous to the 'H' subunit of bacterial reaction centres? (FEB 05727) *N.K. Packham* 284
Generation of high specificity of effect through low-specificity binding of proteins to DNA (FEB 05726) *E. Zuckerkandl, R. Villet* 291

Research Letters

Effects on electrophoretic mobility and antibacterial spectrum of removal of two residues from synthetic sarcotoxin IA and addition of the same residues to cecropin B (FEB 05763) *Z. Li, R.B. Merrifield, I.A. Boman, H.G. Boman* 299
Dopamine β-hydroxylase from bovine adrenal medulla contains covalently-bound pyrroloquinoline quinone (FEB 05782) *R.A. van der Meer, J.A. Jongejan, J.A. Duine* 303

Nucleotide and primary sequence of a major rice prolamine (FEB 05783) *W.T. Kim, T.W. Okita* 308
Purification of a phosphoprotein from rat brain closely related to the 80 kDa substrate of protein kinase C identified in Swiss 3T3 fibroblasts (FEB 05784) *C. Morris, E. Rozengurt* 311
Antithrombin Glasgow, 393 Arg to His: a P_1 reactive site variant with increased heparin affinity but no thrombin inhibitory activity (FEB 05786) *M.C. Owen, C.H. Beresford, R.W. Carrell* 317
Lateral motion of fluorescent molecules embedded into cell membranes of clonal myogenic cells, L6, changes upon cell maturation (FEB 05787) *Y. Kawasaki, N. Wakayama, A. Seto-Ohshima* 321
The amino acid substitutions of human α_1-antitrypsin M_3, X and Z (FEB 05788) *J.-O. Jeppsson, C.-B. Laurell* 327
The complete amino acid sequence of the ribosomal A protein (L12) from the archaebacterium *Sulfolobus acidocaldarius* (FEB 05785) *A.T. Matheson, K.A. Louie, A. Böck* 331
Primary structure of protein B from *Pseudomonas putida*, member of a new class of 2Fe-2S ferredoxins (FEB 05793) *N. Morrice, P. Geary, R. Cammack, A. Harris, F. Beg, A. Aitken* 336
Amino acid sequence of hemoglobin I from root nodules of the non-leguminous *Casuarina glauca-Frankia* symbiosis (FEB 05794) *A.A. Kortt, A.S. Inglis, A.I. Fleming, C.A. Appleby* 341
Primary structure of sheep prostaglandin endoperoxide synthase deduced from cDNA sequence (FEB 05795) *C. Yokoyama, T. Takai, T. Tanabe* 347
Sequence-specific chemical modification of a hybrid bacteriophage M13 single-stranded DNA by alkylating oligonucleotide derivatives (FEB 05796) *V.V. Vlassov, V.F. Zarytova, I.V. Kutyavin, S.V. Mamaev* 352
A zebrafish engrailed-like homeobox sequence expressed during embryogenesis (FEB 05792) *A. Fjose, H.G. Eiken, P.R. Njølstad, A. Molven, I. Hordvik* 355
Photoaffinity labelling shows that *Escherichia coli* isocitrate dehydrogenase kinase/phosphatase contains a single ATP-binding site (FEB 05798) *I. Varela, H.G. Nimmo* 361
Single-channel Ba^{2+} currents in insulin-secreting cells are activated by glyceraldehyde stimulation (FEB 05799) *J.M. Velasco, J.U.H. Petersen, O.H. Petersen* 366
Modulation of HLA antigens in response to the binding of epidermal growth factor by A431 cells (FEB 05671) *K. Hosoi, D.S. Kittur, M. Edidin* 371
The site of action of the A-chain of mistletoe lectin I on eukaryotic ribosomes: The RNA *N*-glycosidase activity of the protein (FEB 05733) *Y. Endo, K. Tsurugi, H. Franz* 378
Protein immobilization on the surface of liposomes via carbodiimide activation in the presence of *N*-hydroxysulfosuccinimide (FEB 05789) *A.A. Bogdanov, jr, A.L. Klibanov, V.P. Torchilin* 381
Biological properties of dihydro-leukotriene B_4, an alternative leukotriene B_4 metabolite (FEB 05791) *V. Kaever, B. Damerau, K. Wessel, K. Resch* 385
Bovine seminal plasmin is a DNA unwinding protein (FEB 05797) *V. Gopal, K.P. Kumar, D. Chatterji* 389
Secretion and biosynthesis of atrial natriuretic factor by cultured adrenal chromaffin cells (FEB 05808) *T.-T. Nguyen, H. Ong, A. De Léan* 393
Polylysine activates and alters the divalent cation requirements of the insulin receptor protein tyrosine kinase (FEB 05802) *O.M. Rosen, D.E. Lebwohl* 397
Post-translational modification of the β-subunit of the human fibronectin receptor (FEB 05812) *M. Jaspers, B. de Strooper, M. Spaepen, F. van Leuven, G. David, H. van den Berghe, J.-J. Cassiman* 402
Cooperative interactions of protein kinase C and cAMP-dependent protein kinase systems in human promyelocytic leukemia HL60 cells (FEB 05801) *E. Deli, Z. Kiss, J.F. Kuo* 407
Phosphorylation of D-glyceraldehyde-3-phosphate dehydrogenase by Ca^{2+}/calmodulin-dependent protein kinase II (FEB 05810) *L.I. Ashmarina, S.E. Louzenko, S.E. Severin, jr, V.I. Muronetz, N.K. Nagradova* 413
Phosphorylation of the 90 kDa heat shock protein in heat shocked HeLa cell lysates (FEB 05804) *V. Legagneux, M.-F. Dubois, M. Morange, O. Bensaude* 417

Storage of phosphorylated desmin in a familial myopathy (FEB 05809) *L. Rappaport, F. Contard, J.L. Samuel, C. Delcayre, F. Marotte, F. Tomè, M. Fardeau* 421

Base-catalyzed reactivation of glucogen phosphorylase reconstituted with a coenzyme-substrate conjugate and its analogues (FEB 05807) *N. Horinishi, M. Tagaya, T. Fukui* 426

β-Elimination of phosphate and subsequent addition of pyridoxamine as a method for identifying and sequencing peptides containing phosphoseryl residues (FEB 05817) *T.G. Hastings, E.M. Reimann* 431

A mutant LexA repressor harboring a cleavage motif cysteine-glycine remains inducible (FEB 05806) *M. Granger-Schnarr, P. Oertel, M. Schnarr* 437

Cloning and sequence analysis of cDNA encoding the precursor of a human endothelium-derived vasoconstrictor peptide, endothelin: identity of human and porcine endothelin (FEB 05811) *Y. Itoh, M. Yanagisawa, S. Ohkubo, C. Kimura, T. Kosaka, A. Inoue, N. Ishida, Y. Mitsui, H. Onda, M. Fujino, T. Masaki* 440

Increased calmodulin synthesis in the pre-replicative phase of rat liver regeneration (FEB 05805) *M.R. Piñol, M.W. Berchtold, O. Bachs, C.W. Heizmann* 445

Corrigenda and Errata 451

Author Index 455

Table of Contents 461

Notes to Authors 467